

## 50 546 Pouring Medium

### Product name:

- Medium for pouring applications

### Contains:

- Polyurethane and acrylate dispersion

### Basic information:

- Fluid, high glossy, clear and tack-free drying with good flowing properties. Waterdilutable.

### Characteristics for sole use:

- fluid consistency
- good flowing properties
- glossy
- dries to a clear-transparent, water-resistant surface
- non-yellowing
- tack-free surface
- can be use as lacquer for acrylic works
- can be poured in layers (each layer should dry thoroughly before further treatment)
- for nearly all grease-free surfaces (pre-tests recommended)

### Characteristics for combined use with acrylic colours:

- mixable with all Schmincke acrylic colours (PRIMAcril<sup>®</sup>, AKADEMIE<sup>®</sup> Acryl color, College<sup>®</sup> Acrylic, AERO COLOR<sup>®</sup> Professional); for colours from other brands we recommend pre-tests
- mixing with colours creates a lacquer-like consistency and flow properties
- minimizes possible cracking when being poured in layers
- can be poured in several layers (always after drying) to create depth effects
- increases gloss (depending on amount, colour and range)
- surfaces / grounds should be slightly absorbent, clean, greaseless and stable (pretesting recommended)

### Handling:

- The product is ready to use, can be used pure or mixed with acrylic colours.
- The mixing with acrylic colours can be done at any ratio, but the medium has to predominate; the results depend on the mixing ratio and used acrylic colour series.
- Please don't use the product below temperatures under 15 °C object- and room-temperatures.
- Extra added silicon oil may generate cracking of the surface.
- Please clean working tools with water after use.
- Close immediately after use.
- Store in a cool and dry place.
- Individual pre-tests are required (see footer).
- Leftovers should be disposed professionally.

### Product labeling:

- Please refer to the individual safety data sheet on our website [www.schmincke.de](http://www.schmincke.de)

CM / 19.01.18

