

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer

**50 587 - Schmincke acrylic lacquer,
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 50 586 - Schmincke acrylic gloss lacquer
50 587 - Schmincke acrylic lacquer, satin-glossy

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Str. 2
D - 40699 Erkrath
Tel. +49 (0) 211-2509-0
Fax. +49 (0) 211-2509-497
info@schmincke.de
www.schmincke.de

Department responsible for information

Schmincke-labor:
mo-th 8.00-16.30, fr 8.00-13.30
Tel. +49 (0) 211-2509-474
labor@schmincke.de

1.4 Emergency telephone number

**Emergency
Information
Phone #**

**Emergencycall Berlin
(24h - counseling in german and english)
+49 (0) 30-30686700**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2 Label elements

Labelling

Signal word

Hazard statements

no hazard labelling required

Safety precautions

Text for labelling (CLP)

Contains biocidal products. Contains BIT, CIT, MIT, OIT: May produce an allergic reaction.
Full text of biocides: see section 16.

2.3 Other hazards

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer

**50 587 - Schmincke acrylic lacquer,
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	2 / 8

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

dispersion of pure acrylate
polyurethane dispersion
Water
additives
matting agents (50 587)

CAS-Number
EINECS / ELINCS / NLP
EU index number
REACH registration No.
Hazchem-Code
CI-Number

3.2 Mixtures

Substance 1

N,N-diethylethanamine: CAS-Number: 121-44-8
EU index number: 204-469-4
REACH registration No.: 01-2119475467-26-XXXX
Classification according to Directive 67/548/EEC or
1999/45/EC:
Nature of Hazard: / R phrase(s):
Classification according to EC regulation 1272/2008 (CLP):
Acute Tox. 4; H302 / Eye Dam. 1; H318 / Flam. Liq. 2;
H225 / STOT SE 3; H335 /

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

No special measures are required.

In case of skin contact

Thoroughly wash skin with soap and water.
Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Let water be drunk in little sips (dilution effect).
If you feel unwell, seek medical advice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	3 / 8

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

none

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	4 / 8

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures

After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	pasty
Colour	whitish
Odour	almost odourless

	min	max	
Initial boiling point and boiling range			
Melting point/freezing point			
Flash point/flash point range			
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits			
Refraction index			
PH value	8		20 °C
Viscosity			
Viscosity			
Vapour pressure			
Density		1,1 g/ml	20 °C
Partition coefficient: n-octanol/water			

Danger of explosion

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

10.6 Hazardous decomposition products

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	5 / 8

Hazardous vapours may form during fires.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

No data available

Water Hazard Class

1

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112

080112 waste paint and varnish other than those mentioned in 080111

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	6 / 8

Recommendation

Contaminated packaging

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.
IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN
IMDG
IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG

14.6 Special precautions for user

Land transport (ADR/RID)

Code: ADR/RID
Kemmler-number
Hazard label ADR
Limited quantities
Contaminated packaging: Instructions
Contaminated packaging: Special provisions
Special provisions for packing together
Portable tanks: Instructions
Portable tanks: Special provisions
Tank coding
Tunnel restriction
Remarks
EQ
Special provisions

Sea transport (IMDG)

EmS
Special provisions
Limited quantities
Contaminated packaging: Instructions
Contaminated packaging: Special provisions
IBC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN
Tank instructions Special provisions
Stowage and segregation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer 50 587 - Schmincke acrylic lacquer, satin-glossy

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	7 / 8

Properties and observations

Remarks

EQ

Air transport (IATA-DGR)

Hazard

Passenger

Passenger LQ

Cargo

ERG

Remarks

EQ

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class 1

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

0 %

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements

Federal Regulations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 586 - Schmincke acrylic gloss lacquer

**50 587 - Schmincke acrylic lacquer,
satin-glossy**

Article No.	50586025	gloss lacquer	Issue date:	13.02.20
Version	4 . 1	(13.02.20)	Page	8 / 8

State Regulations

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

BIT - 1,2-benzisothiazol-3(2H)-one
CIT - 5-chloro-2-methyl-4-isothiazolin-3-one
MIT - 2-methyl-2H-isothiazol-3-one
OIT - 2-octyl-2H-isothiazol-3-one