

50 707 AQUA modelling paste, coarseproduct name:

- AQUA modelling paste, coarse.

contains:

- Pure acrylate dispersion, fillers, additives, water.

basic information:

- Modelling paste for working with water-colours on greaseless surfaces like canvas, wood, card board or paper (> 350 g/m²).

characteristics:

- For coarse structures
- white
- matt
- light-resistant and non-aging.

handling:

- Stir – if necessary – before use.
- *AQUA modelling paste, coarse* is ready to use and should be applied pure with a pallet knife onto the painting ground. (If coats thicker than 1 cm are required, these should be built in stages!)
- Can be overpainted with water-colours after getting completely dry. (The time for drying depends on the thickness of the surface and can last from several minutes up to several hours!)
- The pure product may also be tinted with tube water-colour or acrylic colour. (Always use a separate palette for mixing – the product may never be put directly into the pans!)
- The product is water mixable, but dries up water-insoluble.
- Please clean working tools as soon as possible with water or water and soap.
- Please don't use the product below temperatures under 10 °C object- and room-temperatures.
- Close immediately after use.
- Store in a cool and dry place.
- Protect from frost.
- Individual pre-tests are required (see footer).

product labeling:

- Please refer to the individual safety data sheet on our website www.schmincke.de.

DrK/ 01.07.2014



H. Schmincke & Co. GmbH & Co. KG · Otto-Hahn-Str. 2 · D - 40699 Erkrath ·
Tel.: +49-211-2509-0 · www.schmincke.de · info@schmincke.de

The described product characteristics and example applications have been tested at the Schmincke laboratory. The information is based on the technical knowledge and experience which are presently available to us. In view of the diversity of applications with regard to painting techniques, materials and working conditions and the numerous possible influencing factors, the information refers to general areas of application. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application; use of the products is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept any liability for damage arising in connection with the use of our products.